PTO/SB/08A (10-01)
Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

	Under the Par	perwork i	Reduction Act of 1995, no perso	ns are required to respond to a collection of	Information untess it contains a valid OMB control number	
Substitut	e for form 1449A/PTC)			Complete if Known	
				Application Number	10/139,002	
INFO	PRMATION	DIS	CLOSURE	Filing Date	MAY 3, 2002	
STA	TEMENT B	Y A	PPLICANT	First Named Inventor	FRANK P. UCKERT ET AL.	
		•		Group Art Unit	1713	
(use as many sheets as necessary)				Examiner Name	UNKNOWN	
Sheet	1	of	2	Attorney Docket Number	PE0669 US NA	

				U.S. PATE	ENT DOCUMENTS	
Examiner Initials *	Cite No.1		cument Number - Kind Code ² (If known)	*Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
k		US-	5,708,130 A	01/13/1998	· WOO ET AL.	
lee		US-	5,900,327 A	05/04/1999	PEI ET AL.	
		US -				
		US -				
		US-				·
		US-				
		US-				
		US -				
		US-				
		US -				
		US-				
		US-			· ·	·
		US-				
]	US -				
		US-				
		US-				
,		US -				
		US -				
		US -				
		US -				· · · · · · · · · · · · · · · · · · ·

·			_	FORE	GN PATENT D	OCUMENTS		
Examiner	Cite	Foreig	n Patent Doc		Publication Date	Name of Patentee or	Pages; Columns, Lines, Where	Г
Initials*	N . 1	CountryCode ³	Number ⁴	Kind Code ⁵ (if known)	MM-DD-YYYY	Applicant of Cited Document	Relevant Passages or Relevant Figures Appear	Тв.
k.		wo	99/54943	. A1	10/28/1999	DOW CHEMICAL CO.		
lac.		wo	00/55927	A1	09/21/2000	CAMBRIDGE DISPLAY TECHNOLOGY LTD		
						· .	·	
			<u> </u>					
		L	<u> </u>			·		
		<u> </u>						
					:			

Examiner	1	Date	
	1 10.		1 11
Signature	Marie Desir	Considered	6/4/01
	The state of the s		0/3/06

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant,

¹ Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.usoto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the tow-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

PTO/SB/08B (10-01)
Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

	Substitute	for form 144	9A/PTO		Complete if Known			
ı	INEO	DRAAT	ON DIS	CLOSURE	Application Number	10/139,002		
					Filing Date	MAY 3, 2002		
•	SIAI	FINEN	IBAY	PPLICANT	First Named Inventor	FRANK P. UCKERT ET AL.		
					Group Art Unit	1713		
		(use as ma	ny sheets as	necessary)	Examiner Name	UNKNOWN		
	Sheet	2	of	2	Attorney Docket Number	PE0669 US NA		

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS			
Examiner Initiáls *	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.			
Le	,	COWELL, ALLAN B. ET AL., Fluoroalkylation of Aromatic Compounds, Journal of Fluorine Chemistry, 17, 1981, 345-356, Elsevier Sequoia S.A., Lausanne, The Netherlands			
he		KAMIGATA, NOBUMASA ET AL., Direct Perfluoroalkylation of Aromatic and Heteroaromatic Compounds with Perfluoroalkanesulfonyl Chlorides Catalysed by a Ruthenium (II) Phosphine Complex, J. Chem. Soc. Perkin Trans., 1, 1984, 1338-1346			
:	•				
	:				
Examiner	i	Date			
Signature		Considered 6/4/06	•		

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

i Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

PTO/SB/08A (10-01) Approved for use through 10/31/2002, OMB 0651-0031 U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet of 1

Complete if Known						
Application Number	10/139,002					
Filing Date	MAY 3; 2002					
First Named Inventor	FRANK P. UCKERT ET AL.					
Group Art Unit	1713					
Examiner Name .	UNKNOWN					
Attorney Docket Number	PE0669 US NA					

				U.S. PATE	ENT DOCUMENTS	•
Examiner Initials *	Cite No.1	Number -	cument Number - Kind Code ² (If known)	Publication Date	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
12		US -	5,708,130 A	01/13/1998	WOO ET AL	Tigures Appeal
14		US -	5,962,631 A	10/05/1999	WOO ET AL.	
lac		US -	6,169,163 B1	01/02/2001	WOO ET AL .	
		US -				
		US -				
		US -				
		US-				·
		US -		7		
[US -				
		US -			1	
	$\neg \neg$	US -	-		\	
		US -				<u> </u>
		US -				
		US -	· · · · · · · · · · · · · · · · · · ·			
		US -				
	$\neg \uparrow$	US -		- · · · · ·		· · · · · · · · · · · · · · · · · · ·
		US -		-		· · · · · · · · · · · · · · · · · · ·
	$\neg \neg$	us -				
		US -				
		US -				

Examiner Initials*	Ċitė	Foreign Patent Document		GN PATENT D		Pages Columns Lines Man	_	
	No.1	CountryCode ³	Number ⁴	Kind Code ⁵ (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T,
<u> </u>				1	· .			C
		-		 				Ш
				 	\ <u></u>			Ш
						<u> </u>		
	٠,							닏
								늗
							·	〒
	—							=
xaminer ignature			_	el.		ate onsidered	106	_

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

¹ Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the tow-letter code (WiPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WiPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

PTO/SB/08A (08-03) Approved for use through 07/31/2008. OMB 0851-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE work Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form

Sheet

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

Complete if Known Application Number 10/816,160 Filing Date **APRIL 1, 2004** Frank P. Uckert et al. First Named Inventor

Group Art Unit 1713 Unknown **Examiner Name**

(use as many sheets as necessary) of 2

PE0669USDIV Attorney Docket Number

				U.S. PATI	ENT DOCUMENTS	
Examiner Initials *	Cite No.1		cument Number - Kind Code ² (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
le		US -	4,508,639	04-02-1985	Camps et al.	
		US -	5,621,131A	04-15-1997	Kreuder et al.	
		US -	5,770,070A	07-07-1998	Inasekaran et al.	
		US -	5,814,244A	09-29-1998	Kreuder et al.	
		US -	5,821,002A	10-13-1998	Ohnishi et al.	
		US -	5,856,434A	01-05-1999	Stem et al.	
		US -	5,962,631A	10-05-1999	Woo et al.	
		US -	5,900,327A	05-04-1999	Pei et al.	
		US -	5,998,045A	12-07-1999	Chen et al.	
		US -	6,204,515 B1	03-20-2001	Bernius et al.	
		US -	6,309,763 B1	10-30-2001	Woo et al.	
		US -	6,353,083 B1	03-05-2002	Inbasekaran et al.	
		US -	6,541,602 B1	04-01-2003	Spreitzer et al.	
		US -	6,653,438 B1	11-25-2003	Spreitzer et al.	
Zac		US -	6,605,373 B1	08-12-2003	Woo et al.	
		US -				
		US -				
		US -		7		
		US-				
		US-				
		US-				
		US-				
		US -				

		FOREIC	N PATENT D	OCUMENTS		
Examiner Initials*	Cite	Foreign Patent Document	Publication Date	Name of Patentee or	Pages, Columns, Lines, Where	
	No.1	CountryCode ³ Number ⁴ Kind Code ⁵ (<i>if known</i>)	MM-DD-YYYY	Applicant of Cited Document	Relevant Passages or Relevant Figures Appear	To
4	-	EP 0 259 229 B1	09-02-1987	Makromolekulare Chemie	/	
		EP 0 956 312 B1	01-29-1998	JSR Corporation		
		WO 01/07502 A2	02-01-2001	Cambridge Display Techn		
100		WO 00/53656 AI	09-14-2000	Cambridge Display Techn		

Examiner Signature	1-00:	Date Considered	1/1/06
Cignataro	275 Mor	00110100100	6/3/00

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.usrig. or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Approved for use through 07/31/2006. OMB 0851-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

Substitute for form 1449A/PTO Complete if Known 10/809,737 **Application Number** INFORMATION DISCLOSURE Filing Date April 1, 2004 STATEMENT BY APPLICANT First Named Inventor Frank P. Uckert et al. Group Art Unit 1713 **Examiner Name** Unknown (use as many sheets as necessary)

e item (book, magazine, journ number(s), DE 19846767, Partially conjugates aterial, and for display elements units, Abstra 2000319272, (Diarylamino) furan electron hole transport JP 08157575, Carrier transport electroluminescence 2000143778, Display element s emitting compound as color	CAPITAL LETTERS), title nal, serial, symposium, ca publisher, city and/or coursed polymer useful as an organi in television monitor and illumact, 08-13-2000, Aventis Reservanta analogues with improved state or photosensitive materials, A port polymers – useful as carriece devices, Abstract, 10-25-16 such as cathode ray tube and r developing materials, Abstract, lene group-containing copoly	of the article (when appropriate), title of talog, etc.), date, page(s), volume-issue ntry where published. ic semiconductor or an electroluminescence ination technology contains fluorene building & Technologies Gmbh bility, useful pharmaceutical intermediates and Abstract, 04-21-2001, Tosoh Corp er transport materials in organic thin film 208, Toppan Printing Co. Ltd. light emitting diode, comprises specified light ct, 10-06-2000, Samsung Denkan KK	τ'
clude name of the author (in de item (book, magazine, journ number(s), DE 19846767, Partially conjugate aterial, and for display elements in units, Abstra 2000319272, (Diarylamino) furan electron hole transport JP 08157575, Carrier transport electroluminescence de 2000143778, Display element semitting compound as color 200273522, Production of pheny	CAPITAL LETTERS), title nal, serial, symposium, ca publisher, city and/or cour depublisher, city and/or cour depublisher, city and/or cour depublisher, city and/or cour depublisher, city and as an organi lin television monitor and illumact, 08-13-2000, Aventis Research analogues with improved state or photosensitive materials, Aport polymers — useful as carried devices, Abstract, 10-25-16 such as cathode ray tube and reveloping materials, Abstract viene group-containing copoly esence of catalysts containing	of the article (when appropriate), title of talog, etc.), date, page(s), volume-issue ntry where published. ic semiconductor or an electroluminescence ination technology contains fluorene building & Technologies Gmbh bility, useful pharmaceutical intermediates and Abstract, 04-21-2001, Tosoh Corp er transport materials in organic thin film 208, Toppan Printing Co. Ltd. light emitting diode, comprises specified light ct, 10-06-2000, Samsung Denkan KK	τ'
e item (book, magazine, journ number(s), DE 19846767, Partially conjugates aterial, and for display elements units, Abstra 2000319272, (Diarylamino) furan electron hole transport JP 08157575, Carrier transport electroluminescence 2000143778, Display element s emitting compound as color	nal, serial, symposium, ca publisher, city and/or coursed polymer useful as an organi in television monitor and illumact, 08-13-2000, Aventis Reservation analogues with improved state or photosensitive materials, A cort polymers — useful as carriece devices, Abstract, 10-25-18 such as cathode ray tube and or developing materials, Abstract, 10-25-19 such as cathode ray tube and or developing materials, Abstract, 10-25-19 such as cathode ray tube and or developing materials, Abstract, 10-25-19 such as cathode ray tube and or developing materials, Abstract, 10-25-19 such as cathode ray tube and or developing materials, Abstract, 10-25-19 such as cathode ray tube and or developing materials, Abstract, 10-25-19 such as cathode ray tube and or developing materials, Abstract, 10-25-19 such as cathode ray tube and or developing materials, Abstract, 10-25-19 such as cathode ray tube and or developing materials, Abstract, 10-25-19 such as cathode ray tube and or developing materials, Abstract, 10-25-19 such as cathode ray tube and or developing materials, Abstract, 10-25-19 such as cathode ray tube and or developing materials, Abstract, 10-25-19 such as cathode ray tube and or developing materials, Abstract, 10-25-19 such as cathode ray tube and or developing materials, Abstract, 10-25-19 such as cathode ray tube and or developing materials, Abstract, 10-25-19 such as cathode ray tube and or developing materials, Abstract, 10-25-19 such as cathode ray tube and or developing materials, Abstract, 10-25-19 such as cathode ray tube and or developing materials, Abstract, 10-25-19 such as cathode ray tube and or developing materials, Abstract, 10-25-19 such as cathode ray tube and or developing materials, Abstract, 10-25-19 such as cathode ray tube and or developing materials, Abstract, 10-25-19 such as cathode ray tube and or developing materials, Abstract, 10-25-19 such as cathode ray tube and or developing materials, 10-25-19 such as cathode ray tube and or developing materials, 10-25-19 such as cathode ray tube and 10-25-1	talog, etc.), date, page(s), volume-issue ntry where published. ic semiconductor or an electroluminescence aination technology contains fluorene building & Technologies Gmbh bility, useful pharmaceutical intermediates and abstract, 04-21-2001, Tosoh Corp er transport materials in organic thin film 1998, Toppan Printing Co. Ltd. light emitting diode, comprises specified light act, 10-06-2000, Samsung Denkan KK mers – comprises copolymerizing phenylene transition metal compounds, Abstract, 01-13-	T*
aterial, and for display elements units, Abstra- 2000319272, (Diarylamino) furan electron hole transport JP 08157575, Carrier transport electroluminescence electroluminescence emitting compound as color	In television monitor and illumact, 06-13-2000, Aventis Resonantial and analogues with improved state or photosensitive materials, Aport polymers — useful as carriece devices, Abstract, 10-25-19 such as cathode ray tube and redeveloping materials, Abstract, 10-25-19 such as cathode ray tube and redeveloping materials, Abstract, 10-25-19 such as cathode ray tube and redeveloping materials, Abstract, 10-25-19 such as cathode ray tube and redeveloping materials, Abstract, 10-25-19 such as cathode ray tube and redeveloping materials, Abstract, 10-25-19 such as cathode ray tube and redeveloping materials, Abstract, 10-25-19 such as cathode ray tube and redeveloping materials, Abstract, 10-25-19 such as cathode ray tube and redeveloping materials, Abstract, 10-25-19 such as cathode ray tube and redeveloping materials, Abstract, 10-25-19 such as cathode ray tube and redeveloping materials, Abstract, 10-25-19 such as cathode ray tube and redeveloping materials, Abstract, 10-25-19 such as cathode ray tube and redeveloping materials, Abstract, 10-25-19 such as cathode ray tube and redeveloping materials, Abstract, 10-25-19 such as cathode ray tube and redeveloping materials, Abstract, 10-25-19 such as cathode ray tube and redeveloping materials, Abstract, 10-25-19 such as cathode ray tube and redeveloping materials, Abstract, 10-25-19 such as cathode ray tube and redeveloping materials, Abstract, 10-25-19 such as cathode ray tube and redeveloping materials, Abstract, 10-25-19 such as cathode ray tube and redeveloping materials, Abstract, 10-25-19 such as cathode ray tube and redeveloping materials, Abstract, 10-25-19 such as cathode ray tube and redeveloping materials, Abstract, 10-25-19 such as cathode ray tube and redeveloping materials, Abstract, 10-25-19 such as cathode ray tube and redeveloping materials, 10-25-19 such as cathode ray tube and redeveloping materials, 10-25-19 such as cathode ray tube and redeveloping materials, 10-25-19 such as cathode ray tube and redeveloping materials, 10-25-19 such as cathode ray	ination technology contains fluorene building & Technologies Gmbh bility, useful pharmaceutical intermediates and abstract, 04-21-2001, Tosoh Corp er transport materials in organic thin film 1998, Toppan Printing Co. Ltd. light emitting diode, comprises specified light ct, 10-08-2000, Samsung Denkan KK mers – comprises copolymerizing phenylene transition metal compounds, Abstract, 01-13-	
JP 08157575, Carrier transport electroluminescence 2000143778, Display element semitting compound as color 210273522, Production of pheny	or photosensitive materials, A ort polymers – useful as carrie ce devices, Abstract, 10-25-16 such as cathode ray tube and r developing materials, Abstra viene group-containing copoly esence of catalysts containing	er transport materials in organic thin film 1998, Toppan Printing Co. Ltd. light emitting diode, comprises specified light 1998, 10-08-2000, Samsung Denkan KK Interest — comprises copolymerizing phenylene transition metal compounds, Abstract, 01-13-	
electroluminescence 2000143778, Display element semitting compound as color 210273522, Production of pheny	such as cathode ray tube and r developing materials, Abstra	light emitting diode, comprises specified light ct, 10-06-2000, Samsung Denkan KK mers – comprises copolymerizing phenylene transition metal compounds, Abstract, 01-13-	
emitting compound as color 2 10273522, Production of pheny	r developing materials, Abstra	mers – comprises copolymerizing phenylene transition metal compounds, Abstract, 01-13-	
	sence of catalysts containing	transition metal compounds, Abstract, 01-13-	
		THE TAIL	i
		mers – comprises copolymerizing phenylene transition metal compounds, Abstract, 12-23-nu KK	
JP 03028220, Electrochromic elements for display or optical shield glass – contg. film of polyphenylene polyi derived from fluorene, Abstract, 09-28-1993, Idemitsu Kosan Co. Ltd.			
JP 03017120, Polyphenylene polymers used as conductive material or display material are produced by cher or electrochemical-oxidative polymerizing of specified fluorene derivs, Abstract, 09-28-1993, Idemitsu Kosan Ltd.			
JP 02269734, New polyphenylene-type polymer prepd. By oxidn. Polymerization of fluroene derive., Abstract, 09- 28-1993, Idemitsu Kosan Co. Ltd.			
KR 99057430, Fluorene-based alternating statistical copolymer containing multi-luminescence groups and electroluminescence device using the same, Abstract, 07-15-1999, Korea Adv Inst Sci & Technology			
	derived from flugger and the second sector of the sector o	derived from fluorene, Abstract, 09-28-1993 3017120, Polyphenylene polymers used as conductive materiectrochemical-oxidative polymerizing of specified fluorene del Ltd. 2269734, New polyphenylene-type polymer prepd. By oxidn. 28-1993, Idemitsu Kosan (CR 99057430, Fluorene-based alternating statistical copolymer	derived from fluorene, Abstract, 09-28-1993, Idemitsu Kosan Co. Ltd. 3017120, Polyphenylene polymers used as conductive material or display material are produced by chemical extrochemical-oxidative polymerizing of specified fluorene derivs, Abstract, 09-28-1993, Idemitsu Kosan Co. Ltd. 2269734, New polyphenylene-type polymer prepd. By oxidn. Polymerization of fluroene derive., Abstract, 09-28-1993, Idemitsu Kosan Co. Ltd. 3017120, Polyphenylene polymers used as conductive material or display material are produced by chemical extraction of specified fluorene derive. Abstract, 09-28-1993, Idemitsu Kosan Co. Ltd.

Examiner Signature	Low Mai	Date Considered	6/5/06	
	V			

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered: Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional). Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the Individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.